




CHISSEL - SUBSOLADORES  
VERNETES





# MODELO CH-T


## CULTICHISSEL 2 FILAS (BRAZO 30x30)



MODELO	N.º DE BRAZOS	BRAZOS FIJOS	ANCHO DE TRABAJO (m)	ANCHO TOTAL PLEGADO (m)	PESO APROX. (kgs)	POTENCIA NECESARIA (cv)
CH-7-T	7	7	1,5	-	368	40-60
CH-9-P-T	9		2	1,78	500	60-80
CH-11-P-T	11	9	2,5	2,28	600	80-100
CH-13-PH-T	13		3		790	100-120
CH-15-PH-T	15	11	3,5	2,78	920	120-140
CH-17-PH-T	17		4		1.140	140-160
CH-19-PH-T	19		4,5		1.230	160-180
CH-21-PH-T	21		5		1.310	180-200

# MODELO CHR-T


## SUPERCHISSEL 2 FILAS (BRAZO 40x40)



MODELO	N.º DE BRAZOS	BRAZOS FIJOS	ANCHO DE TRABAJO (m)	ANCHO TOTAL PLEGADO (m)	PESO APROX. (kgs)	POTENCIA NECESARIA (cv)
CHR-7-T	7	7	1,65	-	527	60-80
CHR-9-P-T	9		2,2	1,93	674	80-100
CHR-11-P-T	11	9	2,75	2,48	766	100-120
CHR-13-PH-T	13		3,3	2,48	839	120-140
CHR-15-PH-T	15	11	3,85	3	1.176	140-160
CHR-17-PH-T	17		4,4	3	1.282	160-180
CHR-19-PH-T	19		4,95	3	1.445	180-200

# MODELO ST

## SUBSOLADOR



MODELO	N.º DE BRAZOS	ANCHO BRAZO (mm)	DISTANCIA ENTRE BRAZOS (mm)	ANCHO DE TRABAJO (m)	PROFUNDIDAD (mm)	PESO (kgs)	POTENCIA NECESARIA (cv)
ST 3-450-30	3	30	450	1,35	600	650	50-70
ST 5-470-40	5	40	470	2,35	650	850	80-100
STR 5-500-40	5	40	500	2,50	850	1.400	125-150


# VERNETE MODELO V-T



MODELO	N.º BRAZOS	ANCHO DE TRABAJO (m)	ANCHO TOTAL (m)	PESO (kgs)	POTENCIA NECESARIA (cv)
V-5-T	5	1,60	1,48	588	65-75
V-6-T	6	1,92	1,80	680	75-90
V-6-P-T			1,48		
V-7-T	7	2,24	2,12	772	85-105
V-7-P-T			1,80		
V-8-T	8	2,56	2,44	864	95-120
V-8-P-T			2,12		
V-8-PH-T					

MODELO	N.º BRAZOS	ANCHO DE TRABAJO (m)	ANCHO TOTAL (m)	PESO (kgs)	POTENCIA NECESARIA (cv)
V-9-T	9	2,88	2,76	956	105-135
V-9-P-T			2,12		
V-9-PH-T					
V-10-T	10	3,20	3,08	1.048	120-150
V-10-P-T			2,44		
V-10-PH-T					

# VERNETE MODELO VG-T



MODELO	N.º BRAZOS	ANCHO DE TRABAJO (m)	ANCHO TOTAL (m)	PESO (kgs)	POTENCIA NECESARIA (cv)
VG-5-T	5	1,8	2	850	85
VG-6-T	6	2,16	2,35	1.020	105
VG-7-T	7	2,52	2,7	1.225	120
VG-8-T	8	2,88	3,05	1.400	135
VG-9-T	9	3,24	3,4	1.620	150
VG-10-T	10	3,6	3,75	1.800	180

**VERNETE DE GRAN PROFUNDIDAD**



SOLANO MAQUINARIA, S.L.

Autovía de Andalucía Km. 318  
23740 Andújar (Jaén) España  
Tfno: 953 515 044 - Fax: 953 515 176

email: andujar@torpedomaquinaria.com  
ventas@torpedomaquinaria.com  
http://www.torpedomaquinaria.com